

<u>Aircraft Make / Model</u>	<u>Part #</u>
<b>AEROSPATIALE</b>	
SA 3000L PUMA	G-6381
<b>AUGUSTA</b>	
A-109	G-641
AB-206	G-641
<i>*NOTE REQUIRES AIRFRAME MODIFICATION</i>	
<b>AIR TRACTOR</b>	
AT 300, AT 302, AT 302A	(2) G-246
AT 301, AT 301A	GE-51
AT 400, AT 400A	(2) G-246
AT 402, AT 402A, AT 502	(2) G-246
AT 502B, AT 503A	(2) G-246
AT 502A, AT 602, AT 802, AT 802A	(3) G-246
<i>*NOTE: ALTERNATE P/N G-246AT THROUGH AIR TRACTOR SERVICE CENTERS</i>	
<b>AMERICAN GENERAL</b>	
AG-5/B TIGER	G-243
<b>AVIAGAMMA</b>	
AVIATIKA-890	G-25
<b>AVIA LTD</b>	
ACCORD-201	G-641
<b>AYRES</b>	
SNOW 2C, S2D	GE-51
THRUSH S2R/600, S2R-R1820	GE-51
SN 2174-4999, 5083 & UP	G-246
THRUSH S2R/T11, T15, T34	GE-50
<b>BEECHCRAFT</b>	
B, C, D, E, F, G17S	G-35
18, E18S, G18S	(2) G-35

D18S, E18S	GE-51 or G-639
MUSKETEER 19, 23, 24R	G-25 opt. G-35
MUSKETEER 23	G-35
<i>*NOTE: MODEL 23, SN M-1, M-2, M-3, M- 7, M-8, M-10 THROUGH M-339, M-348 THROUGH M-379 MAY REQUIRE BATTERY BOX OR G-35M</i>	
MODEL 23, SN M- 2179 & AFTER	G-242
MODEL 24R, SN MC-674 & AFTER	G-242
DEBONAIR, BONANZA 33	G-35
BONANZA 35, 36 (12 VOLT MODELS)	G-35 OR G-35S
BONANZA 35, 36 (24 VOLT MODELS)	
MODEL A36, SN E1111, E1241 & AFTER, A36TC SN EA1,F33A SN CE- 748, CE 772 & AFTER, F33C SN CJ- 149 & AFTER V35B SN D-10097, D10120 & AFTER	G-242
BARON E55, 56, 95- B55, 58, 58TC, 58P	(2) G-25
TWIN BONANZA 50	(2) G-35 OPT. (2) G-35S
DUKE B-60	(2) G-25
<i>*NOTE: REQUIRES BEECH INSTALLATION KIT</i>	
QUEEN AIR 65, A65, 65-80, 65-A80, 65- B80, 65-8870	G-640
<i>*NOTE: REQUIRES GILL STC KIT SA1183S0 WING INSTALLATION</i>	

*ONLY*  
 DUTCHESS 76, (12 VOLT) G-35 OPT. G-35S  
 DUTCHESS 76, (24 VOLT) SN ME-183 & AFTER (2) G-25  
 SKIPPER 77 G-25  
 KING AIR 65-90, 65-A90, B90, C90, E90, F90, 99, 99A, A99A, 100, A100, A100A, B100 G6381 OPT G-6381ES  
*\*NOTE: REQUIRES GILL STC KIT SA1013S0, SA1017S0, SA1018S0 CHECK MODEL & SERIAL NUMBER*  
 200, 200T, 300 G-6381E  
*\*NOTE: REQUIRES GILL STC KIT SA1016S0*  
 T-34A GE-51  
*\*NOTE: REQUIRES CONNECTOR MOD KIT FROM GILL*  
 T34B GE-51E  
*\*NOTE: REQUIRES BD 13-2 ELCON CONNECTOR*  
**BELL**  
 47 D-1 (2) G-25  
 47 G2, 2A, 2A1, 3, 3B, 3B1, 3B2A, 4, 4A, G-5A (24 VOLT), J2, J2A GE-51, GE-54 OR G-640  
 47 G-5, 5A (12 VOLT) G-35 OPT. G-35S  
*\*NOTE: REQUIRES BATTERY BOX*  
 JETRANGER 206, 206A, 206B, 206B1, 206L, 206L1, 206L3 G-641  
*\*NOTE: REQUIRES*

*GILL STC KIT  
SH297NM*

204, 205A, 205A-1 G-6381E

*\*NOTE: REQUIRES*

*GILL STC KIT*

*SH2186S0*

212, 412 G-6381E

*\*NOTE: REQUIRES*

*GILL STC KIT*

*SH1186S0*

**BELLANCA**

7EC, 7FC, 7JC,

7ECA, 7GCBA,

7GCBC, 7GC, 7GCA, G-25M

7GCB, 7HC, 7KC,

7GCAA,

7GCBC, 7KCAB G-35M

7ACA G-25

14-13, 14-13-2, 14-13-3, 14-13-3W G-25 or G-35

14-19, 14-19-2 G-35

14-19-3, 14-19-3A,

17-30, 17-30A, 17-31,

17-31A, 17-31TC, 17-

31ATC G-35M

SUPER VIKING 17-

30A G-35

8KCAB, 8GCBC G-35M

T-250 AIRES G-35

**BOEING**

707, 720 GE-50

**BRANTLY**

B-2, B-2A, B-2B, B-2E G-35M

305 (2) G-25 or G-640

*\*NOTE: MAY*

*REQUIRE BATTERY*

*BOX*

**BRITISH AEROSPACE**

DH, BH, HS, Bae,

125-400A, .600A, (2) G-639E

700A, 800A

*\*NOTE: REQUIRES*

*GILL STC KIT*

<i>ST1030SO</i>	
JETSTREAM 31	(2) G-639E
*NOTE: REQUIRES GILL STC KIT SA2948SO	
<b>CESSNA</b>	
120, 140, 150, 172, 175, 177, 177RG (12 Volt)	G-25
R172, 180, 185, 182, 188, 195, 205, .206, 207, 210 (12 Volt)	G-35
180, 182, 185, 188, 195, 206, 207, 210, (12 Volt)	G-35S
152, A152, 172, 177, 177RG, (24 Volt with battery box)	G-240 opt. G-242
180, 182, 182RG, 185, 188, 206, 207, 210, 336, 337, T337, P337 (24 Volt)	G-242
152, A152, 172, 172RG, 182, R182, TR182, 185, 188, (24 Volt with battery rack)	G-241 opt. G-243
172R	G-241
208, 208B Caravan	G-6381E
T303, SN T30300001- T30300117	G-243
SN T30300118 and after	G-247
310, 320, U-3	(2) G-25
310R, 335, 340, 401, 402, 404, 411, 414, 421	G-246
0-1, L-19	GE-54
0-2, T-41	G-242
425 Conquest I	G-6381E
*NOTE: REQUIRES GILL STC KIT SA2245SO	
CITATION 500, 501,	G-6381E

550, S550, 551, 560

\*NOTE: REQUIRES

GILL STC KIT

SA1051SO

**COMMANDER AIRCRAFT CO.**

114AT, 114TC, 114B

G-243

**CONVAIR**

CV240, 340, 440, 560

(2) G-88

**DASSAULT/SUD**

FAN JET FALCON

(2) G-639E

10, 50

FAN JET FALCON

(2) G-6381E opt.(2) G-6381ES

20, C, D, E, F

\*NOTE: REQUIRES

GILL STC KIT

SA1215S0

**DeHAVILLAND**

BEAVER, OTTER

GE-50 or GE-51, G-6381

TWIN OTTER

G-6381

CARIBOU

GE-50, G-6381

DHC-7

(2) G-6381

**DOUGLAS**

DC3, DC4, DC6, DC7

(2) G-88

**EMBRAER**

BANDERIANTE

G-6381 opt. G-6381ES

EMB 110P1, 110P2

**ENSTROM**

F-28A, C, F, 280,

280FX (12 VOLT)

G-35M

F-28C, F, 280FX (24

VOLT)

G-241

480

G-641

**ERCOUPE**

415C, 415D

G-25 or G-35

**GREAT LAKES**

2T-1A-1, 2T-1A-2

G-25

**GRUMMAN**

MALLARD & 24

VOLT WIDGEON

GE-50 or G-6381

WIDGEON (12

VOLT)

G-35M

G-164, A, C, D, GR-

164, GR-164-AA

GE-51 or G-639

**GULFSTREAM AEROSPACE**

AA1, AA5 G-25

\*NOTE: USE G-25

PLASTIC CASE

BATTERY

SN820069 AND

AFTER. BATTERY

BOX

MODIFICATION

MAY BE

REQUIRED

G-159 (2) G-6381E

\*NOTE: REQUIRES

GILL STC KIT

SA1050SO

G-159 (2) G-6381ES

\*NOTE: REQUIRES

GILL STC KIT

SA5525NM

**COMMANDER DIVISION**

100, 111, 112, 114,  
200 G-25 or G-35

500, 520, 560, 560A,  
560E, 680, 680E, 720 GE-50

500A, 500B, 500U,

500S, 560F, 680F,

680FL,

680FP, 680FLC,

68FLP, 685 (2)G-35M

\*NOTE: BATTERY

HOLD DOWN

RETAINER MAY

NEED TO BE

MODIFIED

680T, V, W (2) G-6381E opt. (2) G-6381ES

\*NOTE: REQUIRES

GILL STC KIT

SA887SO

690, A (2) G-6381E

\*NOTE: REQUIRES

GILL STC KIT

SA1059SO

690B, 840, 900, 980,  
1000 (2) G-6381E

700 G-246

**HELIO**

H250, H295 G-25  
H391, H395 G-35  
H700, H800 G-247

**HUGHES**

12ET GE-51E  
UH 12E, FH 1000 G-641

**ISRAEL AIRCRAFT INDUSTRIES**

JET COMMANDER  
1121, A, B (2) G-6381 opt. (2) G-6381ES

\*NOTE: REQUIRES  
GILL STC KIT  
SA1213SO

WESTWIND 1123,  
1124 (2) G-6381 opt. (2) G-6381ES

\*NOTE: REQUIRES  
GILL STC KIT  
SA1214SO

**KAMAN AEROSPACE**

K1200 G-6381E

**LAKE**

C1, C-2, LA-4 ALL  
MODELS, LA250 G-35M  
thru SN34

LA250 SN35 thru  
SN104 (2) G-25M

\*NOTE: CAN BE  
MODIFIED TO USE G-245

LA250 SN105 and  
after G-245

**LEARJET**

23, 24,24A, 24B,  
24B-A, 24C, 24D,  
24D-A, 24E, 24F,  
24F-A, 25, 25B, 25C,  
25D, 25F, 28, 29, 35,  
35A, 36, 36A, (2) G-6381 opt. (2) G-6381ES

\*NOTE: REQUIRES  
GILL STC KIT  
ST1033SO

\*NOTE: EARLY  
MODEL LEARJETS  
WITH SMALL  
BATTERIES



REQUIRE  
AIRFRAME  
MODIFICATION

50, 55

(2) G-6381E

60

(2) L60

\*NOTE: L60

BATTERY  
AVAILABLE  
THROUGH

LEARJET SERVICE  
CENTERS

(REQUIRES 1.300 s.  
g. ELECTROLYTE)

**LOCKHEED**

C-130, L-500

GE-50, or G-6381

JET STAR I 1329-23

(2) G-6381E opt. (2) G-6381ES

\*NOTE: REQUIRES  
GILL STC KIT

ST1032SO

JET STAR II

(2) G-6381E

**LUSCOMBE**

8E, 8F, T8F,  
SILVAIR

G-25

**McDONNELL DOUGLAS**

HUGHES 500 (369  
SERIES) & 500N

G-641

\*NOTE: REQUIRES  
GILL STC KIT

SH2240SO

**MAULE**

M-4, M-4-210, M-4-  
220

G-25

M-4-210, M-4-210C,  
M-4-230C, M-4-180,  
M-5-210C, M-5-  
220C, M-5-200, M-5-  
235C, M-5-180C, M-  
6-235, M-6-180, MX-  
7-180, MX-7-235, M-  
7-235

G-35S, or G-35M

M-7-420, MX-7-420

G-247

**MESSERSCHMITT-BOLKOW-BLOHM GmbH**

BO-105C, S

G-639E

\*NOTE: REQUIRES

GILL STC KIT  
SH1410SO

**MEYERS**

145 G-25

OTHER MODELS G-35

**MITSUBISHI**

MU-2B, -10, -15, -20,  
-25, -26, -26A, -30, -  
35, -36, -36A, -40, -60  
(2) G-6381E opt. (2) G-6381ES

\*NOTE: REQUIRES

GILL STC KIT

SA1042SO

**MOONEY**

M-18C, M-18L, M-  
18C-55 G-25

M-20 to SN 174 G-25 opt. G-35

M-20, M-20A SN 175

& after, M-20C, M-

20D, M-20E, M-20F,

M-20G, M-20J, 201,

M-20-K 231 G-35

\*NOTE: Opt. 12 volt

sealed battery for

Mooney Models M-

20, M-20B, M-20D,

M-20E, M-20G, M-

20J, M-20K G-35S

M-20J, 205 to SN 24-  
3154 G-242

SN 24-3155 & after G-243

M-20K, 252 G-242

M-20K SN 25-1225 &  
after G-243

M-20L PFM Mooney  
Porsche (2) G-243

M-20M TLS (2) G-243

M-20R (2) G-243

**NAVION**

NORTH  
AMERICAN, RYAN G-35

**NEW PIPER AIRCRAFT INC.**

PA 28R-201 ARROW G-35

PA 44-180 G-35

SEMINOLE

PA28-161 WARRIOR III SN 28-16110 & UP	G-243
PA28-181 ARCHER III SN 28-90206 & UP	G-243
PA 32R-301 SARATOGA II TC SN 32-57001 & UP	G-243
PA 32R-301 SARATOGA II HP SN 32-46018 & UP	G-243
PA 46-350P MALIBU MIRAGE	G-243
PA 34-220T SENECA V	G-247
<b>NORTH AMERICAN</b> T-6, P-51	GE-50
<b>NORTH AMERICAN ROCKWELL</b> SABERLINER NA- 265, -20, -30, -40, -60, -70, -80	(2) G-6381 opt. (2) G-6381ES
*Note: Requires GILL STC kit ST1031SO	
<b>PARTENAVIA</b> P-66C	G-25
P-68C, TC, OBS	G-242 opt. G-243
<b>PIPER (see also new Piper)</b> PA-11	G-25 or G-35
PA-12, PA-14, PA-16	G-35
PA-18 SUPER CUB	G-35
PA-22 108 COLT	G-35
PA-22 TRI-PACER	G-35
PA-23-150, 160, 235 APACHE	G-35
PA-23-250 AZTEC	(12 VOLT)G-35 (24 VOLT) G-242
PA-24 COMMANCHE	G-35
PA-25 PAWNEE	G-35
PA-28 CHEROKEE	G-35
PA-28-161 WARRIOR	G-35

PA-28-161 CADET	G-35
PA-28-181 ARCHER II	G-35
PA-28-236 DAKOTA	G-35
PA-28R ARROW	G-35
PA-28R-201 ARROW	G-35
PA-28R-201T TURBO ARROW	G-35
PA-30 TWIN COMMANCHE	G-35
*Note: Opt 12 Volt sealed battery for Piper Models PA-12, - 14, -16, -18, -22, -23, -24, -25, -28, -30, -32, -34, -39, -44	G-35S
PA-31-300, 310 NAVAJO B	G-242 opt. G-246
PA-31-325 NAVAJO C/R	G-246
PA-31-350 CHIEFTAIN	G-246
PA-31P MOJAVE	G-247
PA-31T CHEYENNE I, II	G-6381E
*Note: Requires GILL STC kit SA1728SO	
PA-32R LANCE	G-35
PA-32-301 SARATOGA	G-35
PA-32R-301 SARATOGA SP	G-35
PA-34 SENECA	G-35
PA-34-220T SENECA III	G-35
PA-36 PAWNEE/BRAVE 300	G-242
PA-36 PAWNEE/BRAVE 375	(2) G-25
PA-38 TOMAHAWK	G-25
PA-39 TWIN COMMANCHE	G-35

PA-42 CHEYENNE III	G-6381E
*Note: Requires GILL STC kit SA1728SO	
PA-44-180 SEMINOLE	G-35
PA-46 MALIBU	G-243
PA-46 350 MALIBU MIRAGE	G-243
T-1020	G-246
T-1040	G-6381E
AEROSTAR 600A, 601, 601B, 601P, 602	(2) G-25M
*Note: With Piper Installation kit P/N 764933	
AEROSTAR 700P	G-247
<b>RHEIN-FLUGZEUGBAU</b>	
FANTRAINER 600	G-641
<b>ROBINSON</b>	
R-22	G-25
R-44	G-35
<b>SCHWEIZER</b>	
300-269A, B, C (12 VOLT)	G-25
300-296A, B, C (24 VOLT)	G-242
300-C, CB	G-243
330	G-641
AG CAT B	(2) G-25
*Note: Alternate P/N G-234W (white) available from Schweizer	
<b>SIAI MARCHETTI</b>	
F-260, B	G-243
F-260C (EARLY MODELS)	GE-51C
F-260C (LATE MODELS), D, E	GE-51 or G-639E or G-639ES
SF-260TP	G-639E
<b>SOCATA GROUPE</b>	
TB 9 TAMPICO (24	G-242

VOLT)	
TB 10 TOBAGO (24 VOLT)	G-242
TB 20 TRINIDAD (24 VOLT)	G-242
TB 21 TRINIDAD TC (24 VOLT)	G-242
TB 200 TOBAGO XL (24 VOLT)	G-242 or G-246
<b>SOLOY</b>	
BELL 47G SERIES TURBINE	GE-51E
CESSNA 206, 207	G-247
HILLER UH 12D, E	GE-51E
SOLOY TRIDAIR	G-639E
SOLOY ENAER T-35	G-247
<b>SWIFT</b>	
GLOBE, TEMCO	G-35
<b>TAYLORCRAFT</b>	
F-19, F-21	G-25
F-21B, F-22, A	G-25M
<b>VARGA</b>	
KACHINA 2150-A	G-25
<b>WARSAW-OCECIE</b>	
PZL-104 WILGA	G-242
<b>WEATHERLY</b>	
620	(2) G-35
620TP	(2) G-35
<b>ZLIN</b>	
42M	G-246